

9900126

HHE UNIVERD SHAVES OF AVIERICA

TO ALL TO WHOM THESE: PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

MOTORS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC PLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE A TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR SINGIT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ARPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

ALFALFA

'54H69'

In Testimonn Mucrest, I have hereunto set my hand and caused the seal of the Mant Harrety Protection Office to be affixed at the City of Washington, D.C. this twenty-fourth day of April, in the year of our Lord two thousand one.

alank Port

Acting Commissioner Plant Variety Protection Office Agricultural Marketing Service of Agriculture

REPROPULE LOCALLY destructs from a contract of the contract of	-17	_				
REPRODUCE LOCALLY. Include form number and date on U.S. DEPARTMENT OF AGRICULTURE		FORM APPROVED - OMB NO. 0581-0055 The following statements are made in accordance with the Privacy Act of				
AGRICULTURAL MARKETING SERVIC	E	1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.				
SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY I		Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).				
APPLICATION FOR PLANT VARIETY PROTECT						
(Instructions and information collection burden state 1. NAME OF APPLICANT(S) (as it is to appear on the Certificate)	ement on reverse)	2. TEMPORARY DESIGNATION OR 3. VARIETY NAME				
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		EXPERIMENTAL NUMBER				
Pioneer Hi-Bred International, Inc.	Y53H69, LH3	54H69				
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, a	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY				
7305 N.W. 62nd Ave.		(515) 270-3347	65100066			
P.O. Box 287		6. FAX (include area code)	F DATE			
Johnston, IA 50131		(-15)				
		(515) 270-3750	1/1/99			
7. GENUS AND SPECIES NAME	8. FAMILY NAME	(Botanical)	FILING AND EXAMINATION FEE:			
Medicago sativa	Legun	ninosae	[, 2450 T			
9. CROP KIND NAME (Common name)			S DATE			
Alfalfa						
10. IF THE APPLICANT NAMED IS NOT A "PERSON", GIVE FORM OF ORG	GANIZATION (corporation,	partnership, association, etc.) (Common name)	C CERTIFICATION FEE			
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. DATE OF INCORPORATION				
lowa		May 6, 1926				
		• '	7//3/6/			
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY,	TO SERVE IN THIS APPLICA	ATION AND RECEIVE ALL PAPERS	14. TELEPHONE (include afea code)			
David J. Miller Mary Letsch	Jean M	. Bromert	(515) 270-3347			
David J. Miller Mary Letsch 7305 N.W. 62nd Ave. 7305 N.W. 6		W 62nd Avenue	15. FAX (include area code)			
P.O. Box 287 Johnston IA	ox 1000	In . A. A				
Johnston, IA 50131-0287	Johnsto	on, IA 50131-1000	(515) 270-3750			
16. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reve	rse)				
a. 📝 Exhibit A. Origin and Breeding History of the Variety						
b. 🗹 Exhibit B. Statement of Distinctness						
c. Exhibit C. Objective Description of the Variety						
d. Exhibit D. Additional Description of the Variety (Optional)						
e. 🟏 Exhibit E. Statement of the Basis of the Applicant's Owners	•					
f. Voucher Sample (2,500 viable untreated seeds or, for tube		•	aintained in an approved public repository)			
g. Filing and Examination Fee (\$2450), made payable to "Treas DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY THE SEED OF THIS VARIETY BE SO. THE APPLICANT SPECIFY BE SO. THE A		(Mail to PVPO)				
YES (If "yes," answer items 18 and 19 below)		f "no," go to item 20)	1 83(a) of the Plant Vanety Protection Act)			
18. DOES THE APPLICANT SPECIFY THAT SEED OF THIS VARIETY BE LI	· · · · · · · · · · · · · · · · · · ·	19. IF "YES" TO ITEM 18, WHICH CLASSES OF	PRODUCTION BEYOND BREEDER SEED?			
GENERATIONS?		FOUNDATION REGISTER				
YES NO						
20. HAS THE VARIETY OR A HYBRID PRODUCED FROM THE VARIETY BE YES (If "yes," give names of countries and dates)	EN RELEASED, USED, OFF	March, 1999, USA	OTHER COUNTRIES?			
The applicant(s) declare that a viable sample of basic seed of the var	iety will be furnished with a	pplication and will be replenished upon request in	accordance with such regulations as may be			
applicable, or for a tuber propagated variety a tissue culture will be d						
The undersigned applicant(s) is (are) the owner(s) of this sexually re			new, distinct, uniform, and stable as required			
in Section 42, and is entitled to protection under the provisions of Se Applicant(s) is (are) informed that false representation herein can jed	•					
GRATURE OF APPLICANT (Owner(s))	SI	GNATURE OF APPLICANT (Owner(s))				
David J. Miller		onarone of Art Elozari (ound (o))				
NAME (Please print or type)	NA NA	AME (Please print or type)				
David J. Miller						
CAPACITY OR TITLE DA	TE CA	PACITY OR TITLE	DATE			
Research Coordinator	12/31/98					
STD-470 (Previous editions are to be destroyed)		(See reverse for instructions and	information collection burden statement)			

EXHIBIT A

ORIGIN AND BREEDING HISTORY OF THE VARIETY

'54H69'

54H69 is a variety synthesized by combining the syn. 1 seed of two experimental lines. It has a total of 221 parent clones. Parents were selected phenotypically for resistance to one or more of the following pests: anthracnose (race 1), bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (race 1), spotted alfalfa aphid, Spring Blackstem, and potato leafhopper. In addition, parents were selected for forage yield, fall dormancy, and field appearance. Syn. 1 seed (breeder seed) was formed by mixing equal quantities of seed from the two experimental lines. The experimental lines used had 136 and 85 parent clones respectively. Parent plants trace through several experimental lines primarily to 5347LH, with smaller contributions from 5246, 5252, 5333, 5373 and trace contributions from several other varieties and germplasm.

This variety was observed over three generations and found to be uniform and stable.

No variants were observed during seed (breeder, foundation and commercial) multiplication procedures.

It is confirmed that 54H69 meets presently acceptable levels for uniformity for alfalfa varieties.

EXHIBIT B

NOVELTY STATEMENT

'54H69'

54H69 most closely resembles the variety 5347LH. 54H69 differs from 5347LH primarily in its resistance to the potato leafhopper (54H69 = 45.4%, 5347LH = 26.3%*), and fall dormancy (54H69 = 4 (moderately dormant), 5347LH = 3 (dormant).

Another trait with difference includes resistance to stem nematode (54H69 = 44.1%, 5347LH = 28.9%).

These two varieties also differ in flower color as 54H69 has 37% purple, 52% variegated, and 10% yellow; while 5347LH has 35% purple and 64% variegated.

*- 5347LH amended to MR to NAAVRB January 1999.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK AND SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

		ALFALFA	(Medicago sativa sens	su Gunn et al.)			
NAME OF APPLICANT(S)			TEMPORARY DE	SIGNATION	VARIETY NAME		
Pioneer Hi-Bre	ed International, I	nc.	Y53H69, LI	13	54H69		
ADDRESS (Street and No., or R.F.D. N	o., City, State, and Zi	p Code)			FOR	OFFICIAL USE ONLY	
7305 N.W. 62r Johnston, IA		PVPO NUMBER	90001	26			
PLEASE READ ALL INSTRUCTION application variety. Data for quant necessary (e.g. 0 8 9 for quantiticolor may be precisely designated	itative plant charadative data. Compa	cters should be base arative data should b	ed on a minimum of 1 be determined from va	00 plants. Include le prieties entered in th	eading zeros when e same trial.Plant	of the commerical ge	nerations of the
3 = 5 = 7 = 9 =	Very Non-Winterhar Intermediately Non-V (Du Puits) (Ranger) Extremely Winterhar ST LOCATION:	Winterhardy (Mesilla) dy (Norseman)	2 = Non-Winterh 4 = Semi-Winterh 6 = Moderately V 8 = Winterhardy	nardy (Lahontan) Vinterhardy (Saranac)			
2. FALL DORMANCY:	I	FALL DORMANCY (DETERMINED FROM	SPACED PLANTING	S)		
	1	T I		REGROWTH SCORE O	R AVERAGE HEIGHT		
TESTING INSTITUTION AND LOCATION	DATE OF LAST CUT	DATE REGROWTH SCORED	APPLICATION		CHECK VARIETIES*		LSD .05
			VARIETY	Legend	Ranger	Archer	1
Pioneer Hi-Bred Int'l, Inc. Arlington, WI	09/02/97	10/01/97	26.6	25.4	23.1	31.5	2.6
* CUF 101, Moapa 69, Mesilla, Lahontan,	, Du Puits, Saranac, F	Ranger, Vernal, or Nors	eman as appropriate.				<u> </u>
Specify scoring system used: Na	atural plant heigh	t in cm.					
5 Fall Growth Habit (Determin	ed from Fall Dorman	cy Trials)					
7 = :	Erect (CUF 101) Semidecumbent (Ver	nal) 9 = Dec	nierect (Mesilla) cumbent (Norseman)	5 = Intermediate (S	aranac)		
3. RECOVERY AFTER FIRST SPRING CU 1 = Very Fast 9 = Very Slow TEST LOCATION	(CUF 101)	3 = Fas	t (Saranac)	5 = Intermediate (R	langer)	7 = Slow (Vernal)	
4. AREAS OF ADAPTATION IN U.S. (Whe	ere tested and prover	ı adapted);					
2 Primary Area of Adaptation			# 1 1 1 1 3	1 Ott	ner Areas of Adaptation		
1 = North Cen 5 = Moderately 8 = Other <i>(Spi</i>	/ Winterhardy Interm	2 = East Central ountain	3 = So 6 = Winterhardy I		4 = Southwest 7 = Great Plains		3
Days Earlier Than Days Later Than Days Later Than		ers at time of first sprin	- ,	Mesilla 3 =	= Saranac 4 = ¹	√ernal 5≈ No	orseman

6, PLANT COLOR (Determined for	rom healthy regrowth 3 we	eks after first spr	ing cut, controlling le	afhoppers if necessa	ry):					
1 = Very Dark Gre	en (524)	2 = Dark Gree	n (Vernal)	3 = Light Gree	n (Ranger)		9900126			
	ALUE (Specify chart used)						OCOUTUB			
•	RIETY:			*******						
		N								
7. CROWN TYPE (Determined from	m spaced plantings):									
Noncreeping Ty Creeping Types	•	rmal) Rooted (Rangela	2 = Intermediate (Sa inder)	ranac) 5 = Rhizomatous (3 = Narrow (0 (Rhizoma)	CUF 101)				
8. FLOWER COLOR (Determine frequency of plants for each color class as defined by USDA Agricultural Handbook No. 424 (Barnes 1972), allowing all plants in plot to flower):										
8. PLOWER GOLD'R (Determine frequency of plants for each color class as defined by USBA Agricultural Handbook No. 424 (Barnes 1972), allowing all plants in plot to nower): O 3 7 % Blue (Subclasses 2.3 and 2.4)										
	ther Than Blue (Subclasse	s 2.1, 2.2, 2.5 to 2	.e) 0 1		bclasses 4.1 to	4.4)				
0 0 1 % Cream (Class	3) N: <u>Connell WA</u>			t % White (Clas	ss 5)					
9. POD SHAPE (Determine frequent % Tightly Coiled	(One or more coils, center			ΓĖ	•	ore coils, center con	spicuously open)			
% Sickle (Less th	nan 1 coil)			TEST LOCATION	ON:					
							generation tested, average severity			
evaluation locations : Seeds of t	. Describe scoring system should be presented when he check varieties and gen hough comparisons with o	n, and any test pr ever available on mplasm lines list	ocedure which differs a separate documen ed below can be obta	s from standard metho t as Exhibit D. Jined from the USDA F	ods proposed Field Crops Lai	by Elgin (1982). Tria boratory, Bldg. 001, I	whether test is a field or laboratory il data from other test years or Rm. 335, BARC-West, Beltsville, MD ommended by Elgin (1982) may be			
A. DISEASE RESISTANCE: DISEASE	VARIETY	SYN, GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION. FIELD OR LABORATORY			
Anthracnose, Race 1 (Colletotrichum trifolii)	Application HR	2	65.9	~125		% Resistant Plants	Pioneer Hi-Bred Int'l, Inc. 1998			
	Arc (R)		65.0	~125		10.1	Arlington, WI Laboratory			
	Saranac (S)		0.0	~125						
	SCORING SYSTEM:	Standard	l test	1.00						
Anthracnose, Race 2 (Colletotrichum trifolii)	Application			1 - 11 - Ann Ann ann a						
	Saranac AR (R)	:				·				
	Arc (S)									
	SCORING SYSTEM:		· ·	l .			1			
Bacterial Wilt (Corynebacterium insidiosum)	Application HR	2	66.0	~200	<u> </u>	% Resistant Plants	Crop Characteristics			
· ·	Vernal (R)		42.0	~200		11.6	Farmington, MN Field			
	Narragansett (S)		4.0	~200						
	SCORING SYSTEM:	Standard	test				•			
Common Leafspot (Pseudopeziza medicaginis)	Application									
	MSA-CW3An3 (R									
	Ranger (S)									
i	SCORING SYSTEM:									
FORM LS-470-32 (4-85)							PAGE 2 OF 5			

DISEASE	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY
Downy Mildew (Peronospora trifoliorum)	Application						
Isolate, if known:	Saranac (R)						
	Kanza (S)						
	SCORING SYSTEM:	, <u>.,.</u>	····	<u></u>			
Fusarium Wilt (Fusarium oxysporum f. medicaginis)	Application HR	1	76.4	~150		% Resistant Plants	Pioneer Hi-Bred Int'l, Inc. 1997
	Agate (R)		54.0	~150		19.7	Arlington, WI Field
	MNGN-1 (S)		7.7	~150			
	SCORING SYSTEM:	Standar	d test				
Phytophthora Root Rot (Phytophthora megasperma f. medicaginis)	Application HR	2	82.5	~160		% Resistant Plants 18.5	Pioneer Hi-Bred Int'l, Inc. 1998 Arlington, WI
	Agate (R)		33.0	~160	-	10.5	Laboratory
	Saranac (S)		0.0	~160			
	SCORING SYSTEM:	Standar	d test				
Verticillium Wilt (Verticillium alboatrum)	Application R	2	42.7	~125		% Resistant Plants 18.0	Pioneer Hi-Bred Int'l, Inc. 1998 Arlington, WI Laboratory
	Vertus (R)		40.0	~125			
	Saranac (S)		5.3	~125			
	SCORING SYSTEM:	Standard	d test				
Other (Specify) phanomyces root rot(R1)	Application R	2	46.7	~175		% Resistant Plants 9.0	Pioneer Hi-Bred Int'l, Inc. 1998 Arlington, WI
Aphanomyces euteiches)	WAPH-1(50.0	~175			Laboratory
	Saranac		0.5	~175			
	SCORING SYSTEM:	Standard	l test				
Other (Specify)	Application						
	(R)						
	(S)						
	SCORING SYSTEM:						
NSECT RESISTANCE: INSECT	VARIETY	SYN. GEN. TESTED	PERCENT DEFOLIATION	DEFOLIATION IN PERCENT OF RESISTANT CHECK	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY
Alfalfa Weevil (Hypera postica)	Application					_	
	Arc (R)			100			
	Saranac (S)						

INSECT	VARIETY	SYN. GEN. TESTED	PERCENT SEEDLING	NUMBER OF SEEDLINGS	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION
Blue Alfalfa Aphid (Acyrthosiphon kondoi)	Application	7ESTED	SURVIVAL	TESTED		LSD .05	FIELD OR LABORATORY
						_	
	CUF101 (HR)						
	Caliverde (S)						
	SCORING SYSTEM:			,		•	
Pea Aphid (Acyrthosiphon pisum)	Application R	1	37.9	~300		% Resistant Plants	Pioneer Hi-Bred Int'l, Inc. 1997
	Baker (R)		45.0	~300		4.0	Johnston, IA Laboratory
	Ranger (S)		9.1	~300			
	SCORING SYSTEM:	Standar	d test				
Spotted Alfalfa Aphid (Therioaphis maculata) Biotype, if known:	Application R	2	31.1	~300		% Resistant Plants	Pioneer Hi-Bred Int'l, Inc. 1998 Connell, WA
Diotype, n known.	CUF101 (HR)		60.0	~300		14.9	Laboratory
	Arc (S)		2.0	~300			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	SCORING SYSTEM:	Standard	test				
INSECT	VARIETY	SYN, GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY
Potato Leafhopper Yellowing (Empoasca fabae)	Application R	2	45.4	~160		% Resistant Plants	Pioneer Hi-Bred Int'l, Inc. 1998
	PLH25 (MR)	***	25.0	~160		12.0	Arlington, WI Field
	Ranger (S)		0.0	~160			
	SCORING SYSTEM:	Standard	Itest				
Other (Specify)	Application						
	(S)						
	(S)						
	SCORING SYSTEM:	Standard	test	<u> </u>			
NEMATODE RESISTANCE:	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY
Northern Root Knot (Meloidogyne hapla)	Application	:					
	SYN YY (HR]					_	
	Lahontan (S)						
	SCORING SYSTEM:			·		-1	

NEMATODE	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY		
outhern Root Knot Meloidogyne incognita)	Application			····					
	Моара 69 (R)								
	Lahontan (S)								
	SCORING SYSTEM:			·		_			
Stem Nematode (Ditylenchus dipsaci)	Application R	2	44.1	~250		% Resistant Plants	Pioneer Hi-Bred Int'l, Inc. 1998		
	Vernema (R)		60.0	~250		1 5.9	Connell, WA Laboratory		
	Ranger (S)		4.7	~250					
	SCORING SYSTEM:	Standard	test	· · · · · · · · · · · · · · · · · · ·					
ther (Specify)	Application								
	(R)								
	(S)								
	SCORING SYSTEM:								

11. INDICATE THE VARIETY THAT MOST CLOSELY RESEMBLES	5 THE APPLICATION VARIETY FOR EACH OF THE FOLLOWING CHARACTERS:

CHARACTER	VARIETY	CHARACTER	VARIETY
Winterhardiness	Ranger	Plant Color	-
Recovery After 1st Cut	5347LH	Crown Type	-
Area of Adaptation	5454	Combined Disease Resistance	5347LH
Flowering Date	-	Combined Insect Resistance	5347LH

REFERENCES

Barnes, D.K. 1972. A System for Visually Classifying Alfalfa Flower Color. U.S. Dep. Agric. Handb. 424. 18 pp. (Note: Greenish cast of plate 6, A and B is an artifact of printing, actual colors a blend of yellow and white.)

Elgin, J.H., Jr., (ed.). 1982. Standard Tests to Characterize Pest Resistance in Alfalfa Cultivars. U.S. Dep. Agric, Tech. Bull. (In Press).

Gunn, C.R., W.H. Skrdla, and H.C. Spencer. 1978. Classification of Medicago sativa L. using legume characters and flower colors. U.S. Dep. Agric. Tech. Bull. 1574. 84 pp.

Munsell Color Co. 1977. Munsell Plant Tissue Color Charts. Munsell Color Co., Inc. Baltimore.

NOTE: Any additional descriptive information and supporting documentation may be provided as Exhibit D.

EXHIBIT D '54H69'

- 1) 54H69 is a variety synthesized by combining the syn. 1 seed of two experimental lines. It has a total of 221 parent clones. Parents were selected phenotypically for resistance to one or more of the following pests: anthracnose (race 1), bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (race 1), spotted alfalfa aphid, Spring Blackstem, and potato leafhopper. In addition, parents were selected for forage yield, fall dormancy, and field appearance. Syn. 1 seed (breeder seed) was formed by mixing equal quantities of seed from the two experimental lines. The experimental lines used had 136 and 85 parent clones respectively. Parent plants trace through several experimental lines primarily to 5347LH, with smaller contributions from 5246, 5252, 5333, 5373 and trace contributions from several other varieties and germplasm. Germplasm sources are M. falcata (5.9%), Ladak (6.0%), M. varia (24.4%), Turkistan (1.9%), Flemish (34.6%), Chilean (4.4%), Peruvian (trace), KS108GH5 (7.1%), KS94GH6 (2.4), 81IND-2 (2.4), unkown (10.9%).
- 2) 54H69 is adapted to and intended for use in the north central, east central, and Great Plains regions of the United States. It has been tested in Iowa, Illinois, Minnesota, Wisconsin, and Ontario, Canada.
- 3) 54H69 is a winterhardy, moderately dormant cultivar with fall dormancy similar to Legend. Flower color in the syn. 2 generation is approximately 37% purple, 52% variegated, 10% yellow and 1% cream with a trace of white.
- 4) 54H69 has high resistance to anthracnose (race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot; resistance to Verticillium wilt, Aphanomyces root rot (race 1); pea aphid, potato leafhopper, stem nematode; and moderate resistance to spotted alfalfa aphid. 54H69 has not been tested for resistance to root knot nematode and blue alfalfa aphid.
- 5) Seed was produced on vegetative cuttings of the two experimental lines (136 parents bulked, and 85 parents bulked) in the greenhouse in 1996 and in cage isolation in 1997. Seed was bulked equally from the two experimental lines to produce breeder seed (syn 1). Seed classes will be breeder (syn. 1), foundation (syn. 2 or syn. 3), and certified (syn. 2, 3, or 4). Foundation seed may be produced from breeder or foundation seed. The second generation of foundation may be produced at the discretion of Pioneer Hi-Bred International, Inc. Limitations of age of stand will be three and five years respectively for foundation and certified seed. Pioneer Hi-Bred International, Inc. will maintain sufficient breeder seed and foundation seed for the projected life of the variety.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal

USDA Office of Communications at (202) 720-2791.

employment opportunity employer.

STD-470-E (03-96)